







Floor with an essence

TECHNICAL SPECIFICATIONS:

- Top Layer: Highly anti abrasive protective overlay is made of second hardest substance in the world after diamond.
- Melamine impregnated decorative film protects the floor from UV rays and fading.
- HDF: Superior Water Resistant High Density Fibre Board protects the floor from water spillage and contributes to a stronger locking.
- Balancing layer of the same thickness as the decorative film makes sure that the product is dimensionally stable.
- Super-Click- State of art locking technology makes sure that the product is in good shape even after regular wear and tear.
- Dimension: 1800x196x12mm
- Packing: 6planks/box. 1 box = 22.80sqft.
- Level of Use: EN13329
- Abrasion Resistant: EN13329, annex E AC5
- Impact Resistance: EN13329, annex F IC2
- Reaction to Fire: DIN4102 T1 . B1
- Dynamic Coefficient Friction: EN13893 m2 0.3
- Formaldehyde Emission: According to E1 Standards.





HDF 12 MM | 1800 X 196 MM | 71X7.72 INCH 6 PLANKS/PACK | $2.11 \text{ M}^2 = 22.79 \text{ FT}^2$ \pm 20 KG/PACK = \pm 44.1 POUND/PACK




















High Definition Printed Decore Paper. Super Solid High Density Fibre Board. HDF mixed with Fibre Glass for Extra density. - Super Solid High Density Fibre Board. Strong Backing for Dimensional stability.